

Oconee Pediatrics
15579 Wells Highway Seneca, SC 29678
Telephone: 864-882-7800—Fax: 864-882-5908
Frank A. Stewart, DO Beatriz Gil-Stewart, D.O.
Branden Boatwright, FNP Catherine Wilson, DNP
Rachel Ward, FNP
Email: oconeepediatrics864@gmail.com

ADD/ADHD Evaluation and Treatment

Below is some important information to help us evaluate and treat your child that may or has been diagnosed with ADD/ADHD:

Vanderbilt Teacher Behavior Scale:

Teacher Vanderbilts are required at every ADD/ADHD appointment even those appointments where your child may be having problems with the medication or you are wanting to increase a dose. *Appointments will be rescheduled if you do not have the Teacher Vanderbilt forms.*

Appointments:

We require all patients being treated for ADD/ADHD to have 4 visits per year, 3 visits scheduled will be for re-evaluation of your child's medication and progress. The fourth visit will be for a complete physical (or wellness exam). Physicals exams are done separately due to the number of issues that we need to address such as growth, nutrition, and pre-puberty issues. We encourage you to schedule the physical exams during the early spring through summer months due to your wait time may be lessened.

Prescription Request:

Oconee Pediatrics uses a medication request form so that we may follow your child's progress each month without having to actually see them in the office. We ask that you fill the form out completely and that you give us 48 hours (2 business days) notice so that the provider will have ample time to review and e-prescribe your request. The forms are available at the front check in or on our website. You may complete the form and turn it in at the office, fax, or email your request.

****please note that if you fax or email your request, please call the office to ensure it was received.**

****please note that we electronically prescribe the medication. We require 2 business days after receiving the medication request to send it to the pharmacy.**

****We are requesting that you write your pharmacy on the medication request form. If you leave the pharmacy blank, the prescription will be sent to the last pharmacy on file and you will need to pick it up there. *WE CANNOT TRANSFER OR CANCEL A PRESCRIPTION ONCE IT HAS BEEN SENT.***

As always, thank you for entrusting Oconee Pediatrics to care for your child.

Oconee Pediatrics

ADD/ADHD EVALUATION BRIEF HISTORY FORM

Date: _____ **Form completed by:** _____

Child's Name: _____ **Date of Birth:** _____

Child's School: _____ **Grade:** _____

Teacher's Name: _____

Fathers' Name: _____ **Mother's Name:** _____

Best phone number for daytime contact: _____

With whom does the child live?

(Both Parents, Mother, Father, Grandparents, Foster Parents, etc.)

Please list the child's major problem or concern with which you are seeking and evaluation or assistance with:

Problem

Age noted

Diagnosis if known

Please describe any family problems such as a death, serious illness, accidents, marital conflicts, or upsetting separation of child from primary caregivers that you feel may have affected your child:

Has your child previously been evaluated or treated? YES NO

If yes, please give detail of where, when and diagnosis that was made and by whom:

Family History of Mental Health or Psychiatric Illness:

*****PLEASE NOTE: THERE IS A \$50.00 DEPOSIT TO SET THE APPOINTMENT FOR THIS EVALUATION. IF YOU DO NOT SHOW FOR THE APPOINTMENT OR CANCEL THE APPOINTMENT WITH A 48 HOURS NOTICE, THE DEPOSIT IS NON-REFUNDABLE.**

*****ON THE DAY OF THE APPOINTMENT ONLY BRING THE CHILD THAT HAS THE EVALUATION PLEASE. IF YOU COME WITH OTHER SIBLINGS, THE APPOINTMENT MAY BE RESCHEDULED.**

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____
 Parent's Name: _____ Parent's Phone Number: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of your child.
 When completing this form, please think about your child's behaviors in the past 6 months.

Is this evaluation based on a time when the child ☐ was on medication ☐ was not on medication ☐ not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality
 Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.
 Revised - 1102

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date: _____ Child's Name: _____ Date of Birth: _____
 Parent's Name: _____ Parent's Phone Number: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____
 Total number of questions scored 2 or 3 in questions 10–18: _____
 Total Symptom Score for questions 1–18: _____
 Total number of questions scored 2 or 3 in questions 19–26: _____
 Total number of questions scored 2 or 3 in questions 27–40: _____
 Total number of questions scored 2 or 3 in questions 41–47: _____
 Total number of questions scored 4 or 5 in questions 48–55: _____
 Average Performance Score: _____

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ
National Institute for
Children's Health Quality

McNeil
Consumer & Specialty Pharmaceuticals

Teacher's Name: _____ Class Time: _____ Class Name/Period: _____

Today's Date: _____ Child's Name: _____ Grade Level: _____

Directions: Each rating should be considered in the context of what is appropriate for the age of the child you are rating and should reflect that child's behavior since the beginning of the school year. Please indicate the number of weeks or months you have been able to evaluate the behaviors: _____.

Is this evaluation based on a time when the child ☐ was on medication ☐ was not on medication ☐ not sure?

Symptoms	Never	Occasionally	Often	Very Often
1. Fails to give attention to details or makes careless mistakes in schoolwork	0	1	2	3
2. Has difficulty sustaining attention to tasks or activities	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through on instructions and fails to finish schoolwork (not due to oppositional behavior or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (school assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by extraneous stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat in classroom or in other situations in which remaining seated is expected	0	1	2	3
12. Runs about or climbs excessively in situations in which remaining seated is expected	0	1	2	3
13. Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks excessively	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting in line	0	1	2	3
18. Interrupts or intrudes on others (eg, butts into conversations/games)	0	1	2	3
19. Loses temper	0	1	2	3
20. Actively defies or refuses to comply with adult's requests or rules	0	1	2	3
21. Is angry or resentful	0	1	2	3
22. Is spiteful and vindictive	0	1	2	3
23. Bullies, threatens, or intimidates others	0	1	2	3
24. Initiates physical fights	0	1	2	3
25. Lies to obtain goods for favors or to avoid obligations (eg, "cons" others)	0	1	2	3
26. Is physically cruel to people	0	1	2	3
27. Has stolen items of nontrivial value	0	1	2	3
28. Deliberately destroys others' property	0	1	2	3
29. Is fearful, anxious, or worried	0	1	2	3
30. Is self-conscious or easily embarrassed	0	1	2	3
31. Is afraid to try new things for fear of making mistakes	0	1	2	3

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 0303

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

NICHQ
National Institute for
Children's Health Quality



HE0351

Teacher's Name: _____ Class Time: _____ Class Name/Period: _____
 Today's Date: _____ Child's Name: _____ Grade Level: _____

Symptoms (continued)	Never	Occasionally	Often	Very Often
32. Feels worthless or inferior	0	1	2	3
33. Blames self for problems; feels guilty	0	1	2	3
34. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
35. Is sad, unhappy, or depressed	0	1	2	3

Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
Academic Performance					
36. Reading	1	2	3	4	5
37. Mathematics	1	2	3	4	5
38. Written expression	1	2	3	4	5

Classroom Behavioral Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
39. Relationship with peers	1	2	3	4	5
40. Following directions	1	2	3	4	5
41. Disrupting class	1	2	3	4	5
42. Assignment completion	1	2	3	4	5
43. Organizational skills	1	2	3	4	5

Comments: _____

Please return this form to: _____

Mailing address: _____

Fax number: _____

For Office Use Only

Total number of questions scored 2 or 3 in questions 1–9: _____

Total number of questions scored 2 or 3 in questions 10–18: _____

Total Symptom Score for questions 1–18: _____

Total number of questions scored 2 or 3 in questions 19–28: _____

Total number of questions scored 2 or 3 in questions 29–35: _____

Total number of questions scored 4 or 5 in questions 36–43: _____

Average Performance Score: _____

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

11-20/rev0303

NICHQ
National Institute for
Children's Health Quality

McNeil
Consumer & Specialty Pharmaceuticals